

according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

VELOSIT IR 601 (B-Comp.)
UFI: K04C-ASVS-7FC1-FNF3

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses

The product is intended for professional users. Building products.

#### Uses advised against

No identified use.

# 1.3 Details of the supplier of the safety data sheet

# Supplier / Importer

VELOSIT GmbH & Co. KG

Industriepark 7

D-32805 Horn-Bad Meinberg

Tel.: +49-5233-95 17 300 Fax: +49-5233-95 17 301 E-mail: info@velosit.de

## **Emergency telephone number**

**1.4** +49-5233-95 17 300 (during business hours)

# SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute toxicity	Category 4	H302
Skin corrosion/irritation	Category 1B	H314
Serious eye damage/eye irritation	Category 1	H318
Hazardous to the aquatic environment	Acute 1	H400
Hazardous to the aquatic environment	Chronic 1	H410

Full text of H- and EUH-phrases: see sec. 16.

## 2.2 Labelling elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

## Hazard components for labelling

Amines, C12-14-alkyldimethyl

Amines, C16-18-alkyldimethyl

Amines, C12-16-alkyldimethyl

Hexadecyldimethylamine

Signal word: Danger

#### **Hazard pictograms**



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020







#### **Hazard statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Full text of H- and EUH-phrases: see sec. 16.

#### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN or hair: Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

## 2.3 Other hazards

No information available.

# SECTION 3: Composition/information on ingredients

## 3.2 Mixtures

Hazardous ing	redients		
CAS No.	EC No.	Substance name	Concentration
84649-84-3	283-464-9	Amines, C12-14-alkyldimethyl	15 - 35%
		REACH No.: 01-2119485584-26	
		Acute Tox. 4, H302; Skin Corr. 1B, H314; Aquatic Acute 1,	
		H400; Aquatic Chronic 1; H410	
68390-97-6	269-915-2	Amines, C16-18-alkyldimethyl	3 - 10%
		REACH No.: 01-2119970967-16	
		Acute Tox. 4, H302; Skin Corr. 1B, H314; Aquatic Acute 1,	
		H400; Aquatic Chronic 1; H410	
68439-70-3	270-414-6	Amines, C12-16-alkyldimethyl	<1 - 5%
		REACH No.: 01-2119970968-14	
		Acute Tox. 4, H302; Skin Corr. 1B, H314; Aquatic Acute 1,	
		H400; Aquatic Chronic 1; H410	
68439-70-3	270-414-6	Amines, C12-16-alkyldimethyl	<1 - 5%
		REACH No.: 01-2119970968-14	
		Acute Tox. 4, H302; Skin Corr. 1B, H314; Aquatic Acute 1,	
		H400; Aquatic Chronic 1; H410	

Full text of H- and EUH-phrases: see sec. 16.



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

# SECTION 4: First aid measures

## 4.1 Description of first aid measures

#### **General information**

Remove all contaminated clothing immediately and wash before wearing again. Remove the affected person from the danger area and lay him/her down.

## **Following inhalation**

Provide fresh air. Medical treatment necessary.

#### Following skin contact

Wash immediately with plenty of soap and water. Medical treatment necessary.

## Following eye contact

Rinse immediately with running water for 10 to 15 minutes with the eyelid held wide open and seek medical advice.

### **Following ingestion**

Rinse mouth immediately and drink plenty of water. DO NOT induce vomiting. Possible harmful effects on humans and possible symptoms: perforation of the stomach. Call a doctor immediately. Do not drink neutralizing agent.

## Self-protection of the first aider

Pay attention to self-protection!

# 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatical treatment.

# SECTION 5: Firefighting measures

## 5.1 Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2), extinguishing powder, for larger fires also water spray or alcohol-resistant foam.

## Unsuitable extinguishing media

High volume water jet.

#### 5.2 Special hazards arising from the substance or mixture

#### **Hazardous combustion products**

In case of fire, carbon monoxide, carbon dioxide, nitrogen oxides and organic decomposition products are produced. Do not inhale explosion and combustion gases.

## 5.3 Advice for fire-fighters

Wear full protective suit with self-contained breathing apparatus.



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

#### Additional information

Precipitate gases/vapours/mists with water spray jet. Collect contaminated extinguishing water separately. Do not discharge into drains or watercourses.

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

#### For emergency responders

Ensure adequate ventilation. Do not inhale gas/smoke/vapour/spray. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

## 6.2 Environmental precautions

Do not allow to escape into waterways, wastewater or soil.

## 6.3 Methods and material for containment and cleaning up

Where possible react with component A (mixing ratio 10A:1B) and allow to fully cure. The product can then be disposed as a household waste. If not possible to react with component A, take up with absorbent for chemicals or, if necessary with dry sand and store in closed containers.

## 6.4 Reference to other sections

For advice on safe handling: see sec. 7.

For advice on protective measures: see sec. 8.

For advice on disposal: see sec. 13.

# SECTION 7: Handling and storage

## 7.1 Protective measures for safe handling

## Advice on safe handling

In open handling, devices with local exhaust ventilation must be used. Do not inhale gas/smoke/vapour/aerosol.

#### Fire preventions

Usual measures for fire prevention.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Hints on storage assembly

Keep away from foodstuffs and luxury foods. Do not store together with acids.

## Storage temperature for personal safety

max. 50 °C

#### Further information on storage conditions

Store cool and dry in well closed containers. Keep container tightly closed. Store under lock and key. Store in a place accessible only to authorised persons. Ensure adequate ventilation and spot extraction at critical points.

## 7.3 Specific end uses

No information available.



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

## Occupational exposure limits

No indication of occupational exposure limit values required by Directive 2006/121/EC.

**DNEL/DMEL-values - DNEL Worker** 

CAS No./DNEL type

84649-84-3

Long-term – inhalation, local effects Long-term – inhalation, systemic effects

68390-97-6

Long-term – inhalation, local effects Long-term – inhalation, systemic effects

68439-70-3

Long-term – inhalation, local effects Long-term – inhalation, systemic effects

**DNEL/DMEL-values - DNEL Consumer** 

CAS No./DNEL type

84649-84-3

Long-term – oral, systemic effects

68390-97-6

Long-term - oral, systemic effects

68439-70-3

Long-term – oral, systemic effects

**PNEC** 

CAS No./PNEC type

84649-84-3

Aquatic, freshwater Aquatic, marine water Sediment, freshwater

Soil

Sewage treatment plant

68390-97-6

Aquatic, freshwater Aquatic, marine water Sediment, freshwater Sediment, marine water

Soil

Sewage treatment plant

68439-70-3

Aquatic, freshwater Aquatic, marine water Sediment, freshwater Sediment, marine water

Soil

Sewage treatment plant

Substance/Value

Amines, C12-14-alkyldimethyl

1 mg/m<sup>3</sup> 1 mg/m<sup>3</sup>

Amines, C16-18-alkyldimethyl

1 mg/m<sup>3</sup> 1 mg/m<sup>3</sup>

Amines, C12-16-alkyldimethyl

1 mg/m<sup>3</sup> 1 mg/m<sup>3</sup>

Substance/Value

Amines, C12-14-alkyldimethyl

0,5 mg/kg KG/d

Amines, C16-18-alkyldimethyl

0,5 mg/kg KG/d

Amines, C12-16-alkyldimethyl

0,5 mg/kg KG/d

Substance/Value

Amines, C12-14-alkyldimethyl

0,00026 mg/l 0,00003 mg/l 1,25 mg/kg 1 mg/kg 0,13 mg/l

Amines, C16-18-alkyldimethyl

0,00026 mg/l 0,00003 mg/l 1,25 mg/kg 0,125 mg/kg 1 mg/kg 0,13 mg/l

Amines, C12-16-alkyldimethyl

0,00026 mg/l 0,00003 mg/l 1,25 mg/kg 0,125 mg/kg 1 mg/kg 0,13 mg/l



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

#### 8.2 Exposure controls

#### Appropriate engineering controls

In open handling, devices with local exhaust ventilation must be used. Do not inhale gas/smoke/vapour/aerosol.

## Personal protective equipment

#### General protection and hygiene measures

Immediately remove all soiled, soaked clothing. Draw up and observe skin protection plan! Wash hands and face thoroughly before breaks and at the end of work. Do not eat, drink, smoke or snort at the workplace.

#### Eye / Face protection

Basket glasses according to EN 166.

#### Skin protection

Use protective clothing resistant to chemicals.

#### Hand protection

Suitable materials for protective gloves; EN 374: nitrile rubber (NBR): thickness  $\geq$  0.4 mm - breakthrough time  $\geq$  30 minutes, butyl rubber (IIR): thickness  $\geq$  0.7 mm - breakthrough time  $\geq$  480 minutes. Dispose immediately after contamination.

## **Respiratory protection**

Respiratory protection required at insufficiently ventilated workplaces. Fresh air mask or combination filter A2-P2 (EN529) are recommended for short-term work.

#### **Environmental exposure controls**

No information available.

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic
Flash point: > 100 °C

Relative density: 1.02 g/cm³ at 20 °C Solubility(ies): soluble at 15 °C Viscosity, dynamic: 181 mPa.s at 25 °C

#### 9.2 Other information

No information available.

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reactions occur when handled and stored as intended.



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

## 10.2 Chemical stability

The product is stable when stored at normal ambient temperatures.

#### 10.3 Possibility of hazardous reactions

Reacts with strong acids.

#### 10.4 Conditions to avoid

No information available.

#### 10.5 Incompatible materials

Strong oxidizing agents, strong acids.

## 10.6 Hazardous decomposition products

Thermal decomposition can produce various substances, the exact composition of which depends on the decomposition conditions. In case of fire, formation of carbon monoxide, carbon dioxide and nitrogen oxides.

# SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

## Details on Amines, C12-14-alkyldimethyl

#### Acute toxicity, oral

Dose: LD50 1.220 mg/kg

Species: Rat

Method: OECD Test Guideline 401

#### Skin corrosion/irritation

Result: Causes severe burns to the skin.

## Eye damage/irritation

Result: Causes severe eye damage.

# Sensitisation to the respiratory tract/skin Sensitisation to the respiratory tract

Result: Based on the available data, the classification criteria are not met.

#### Skin sensitisation

Result: Based on the available data, the classification criteria are not met.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity

Result: Based on the available data, the classification criteria are not met.

## Carcinogenicity

Result: Based on the available data, the classification criteria are not met.

## Reproductive toxicity

Result: Based on the available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

## Specific target organ toxicity (single exposure)

Result: Based on the available data, the classification criteria are not met.

## Specific target organ toxicity (repeated exposure)

Result: Based on the available data, the classification criteria are not met.

#### **Aspiration hazard**

Result: Based on the available data, the classification criteria are not met.

## Special hazards arising from the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]: hazardous properties.

## Details on Amines, C16-18-alkyldimethyl

## Acute toxicity, oral

Dose: LD50 1.000 - 2.000 mg/kg

Species: Rat

Method: OECD Test Guideline 401

## Skin corrosion/irritation

Result: Causes severe burns to the skin.

## Eye damage/irritation

Result: Causes severe eye damage.

# Sensitisation to the respiratory tract/skin

Sensitisation to the respiratory tract

Result: Based on the available data, the classification criteria are not met.

## Skin sensitisation

Result: Based on the available data, the classification criteria are not met.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity

Result: Based on the available data, the classification criteria are not met.

#### Carcinogenicity

Result: Based on the available data, the classification criteria are not met.

#### Reproductive toxicity

Result: Based on the available data, the classification criteria are not met.

## Specific target organ toxicity (single exposure)

Result: Based on the available data, the classification criteria are not met.

## Specific target organ toxicity (repeated exposure)

Result: Based on the available data, the classification criteria are not met.

## **Aspiration hazard**

Result: Based on the available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

#### Special hazards arising from the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]: hazardous properties.

## Details on Amines, C12-16-alkyldimethyl

Acute toxicity, oral

Dose: LD50 1.000 - 2.000 mg/kg

Species: Rat

Method: OECD Test Guideline 401

Skin corrosion/irritation

Result: Causes severe burns to the skin.

Eye damage/irritation

Result: Causes severe eye damage.

Sensitisation to the respiratory tract/skin Sensitisation to the respiratory tract

Result: Based on the available data, the classification criteria are not met.

Skin sensitisation

Result: Based on the available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
Germ cell mutagenicity

Result: Based on the available data, the classification criteria are not met.

Carcinogenicity

Result: Based on the available data, the classification criteria are not met.

Reproductive toxicity

Result: Based on the available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Result: Based on the available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Result: Based on the available data, the classification criteria are not met.

Aspiration hazard

Result: Based on the available data, the classification criteria are not met.

Special hazards arising from the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]: hazardous properties.

Details on Hexadecyldimethylamine

Acute toxicity, oral

Dose: LD50 1.015 mg/kg

Species: Rat



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

Method: OECD Test Guideline 401

Skin corrosion/irritation

Result: Causes severe burns to the skin.

Eye damage/irritation

Result: Causes severe eye damage.

Sensitisation to the respiratory tract/skin Sensitisation to the respiratory tract

Result: Based on the available data, the classification criteria are not met.

Skin sensitisation

Result: Based on the available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity

Result: Based on the available data, the classification criteria are not met.

Carcinogenicity

Result: Based on the available data, the classification criteria are not met.

Reproductive toxicity

Result: Based on the available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Result: Based on the available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Result: Based on the available data, the classification criteria are not met.

**Aspiration hazard** 

Result: Based on the available data, the classification criteria are not met.

Special hazards arising from the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]: hazardous properties.

## SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity** 

Details on Amines, C12-14-alkyldimethyl

Acute (short-term) fish toxicity

Dose: LC50 0,62 mg/l

Duration: 96 h

Species: Danio rerio (Zebrafish)
Method: OECD Test Guideline 203



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

## Acute (short-term) toxicity to crustacea

Dose: EC50 0,056 mg/l

Duration: 48 h

Species: Daphnia magna (big water flea)

## Chronic (long-term) toxicity to crustacea

Dose: NOEC 0,036 mg/l

Species: Daphnia magna (big water flea)

## Acute (short-term) toxicity to algae and cyanobacteria

Dose: EC10 0,02 mg/l

Duration: 72 h

Species: Desmodesmus subspicatus (green algae)

# Details on Amines, C16-18-alkyldimethyl

## Acute (short-term) fish toxicity

Dose: LC50 0,82 mg/l

Duration: 96 h

Species: Danio rerio (Zebrafish)
Method: OECD Test Guideline 203

#### Acute (short-term) toxicity to crustacea

Dose: EC50 0,188 mg/l

Duration: 48 h

Species: Daphnia magna (big water flea)

## Chronic (long-term) toxicity to crustacea

Dose: NOEC 0,1 mg/l

Duration: 21 d

Species: Daphnia magna (big water flea)

# Acute (short-term) toxicity to algae and cyanobacteria

Dose: EC50 0,02 mg/l

Duration: 72 h

Species: Desmodesmus subspicatus (green algae)

#### Details on Amines, C12-16-alkyldimethyl

#### Acute (short-term) fish toxicity

Dose: LC50 0,26 mg/l

Duration: 96 h

Species: Danio rerio (Zebrafish)
Method: OECD Test Guideline 203

#### Acute (short-term) toxicity to crustacea

Dose: EC50 0,056 mg/l

Duration: 48 h

Species: Daphnia magna (big water flea)
Method: OECD Test Guideline 202



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

# Chronic (long-term) toxicity to crustacea

Dose: NOEC 0,036 mg/l

Species: Daphnia magna (big water flea)

## Acute (short-term) toxicity to algae and cyanobacteria

Dose: EC50 0,0165 mg/l

Duration: 72 h

Species: Desmodesmus subspicatus (green algae)

Method: OECD Test Guideline 201

# Details on Hexadecyldimethylamine

## Acute (short-term) fish toxicity

Dose: LC50 0,26 mg/l

Duration: 96 h

Species: Danio rerio (Zebrafish)

## Acute (short-term) toxicity to crustacea

Dose: EC50 0,056 mg/l

Duration: 48 h

Species: Daphnia magna (big water flea)

### Acute (short-term) toxicity to algae and cyanobacteria

Dose: EC50 0,0099 mg/l

Duration: 72 h

Species: Desmodesmus subspicatus (green algae)

#### 12.2 Persistence and degradability

## Details on Amines, C12-14-alkyldimethyl

#### **Biodegradation**

Degradation rate: 93%

Method: OECD Test Guideline 203

Remark: The organic components contained are easily biodegradable.

# Details on Amines, C16-18-alkyldimethyl

No data available.

#### Details on Amines, C12-16-alkyldimethyl

No data available.

## **Details on Hexadecyldimethylamine**

No data available.

# 12.3 Bioaccumulative potential

## Details on Amines, C12-14-alkyldimethyl

No data available.

## Details on Amines, C16-18-alkyldimethyl

No data available.



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

#### Details on Amines, C12-16-alkyldimethyl

No data available.

#### **Details on Hexadecyldimethylamine**

No data available.

## 12.4 Mobility in soil

Details on Amines, C12-14-alkyldimethyl

No data available.

Details on Amines, C16-18-alkyldimethyl

No data available.

Details on Amines, C12-16-alkyldimethyl

No data available.

**Details on Hexadecyldimethylamine** 

No data available.

#### 12.5 Results of PBT and vPvB assessment

The mixture does not meet the criteria for classification as PBT or vPvB.

## 12.6 Other adverse effects

No data available.

## Additional ecotoxicological information

Do not discharge into drains or watercourses. Do not allow to reach the subsoil/ground.

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

Dispose in accordance with applicable international, national and local laws, ordinances and statutes. When mixed with Component A and fully reacted/cured can be disposed of in landfill. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. After final product withdrawal, all residues must be removed from containers (drip-free, powder-free or paste-free). Once the product residues adhering to the walls of the containers have been rendered harmless, the product and labels must be invalidated. These containers can be returned for recycling to the appropriate centres set up within the framework of the existing takeback scheme of the chemical industry. Containers must be recycled in compliance with national legislation and environmental regulations. None disposal into wastewater.

# SECTION 14: Transport information

## 14.1 Landtransport (ADR/RID)

UN No.: 2735

UN Proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (Alkyl-C12-C14-

dimethylamin)

# =velosit

### Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

Transport hazard class(es): 8 8 Hazard label(s): П Packing group: Environmental hazards: ves Limited quantity: 1 L E2 Excepted quantity: Special provisions: 274 Tunnel restriction code: Ε Classification code: **C7** Transport category: 2 Hazard identification number (Kemler No.): 80

14.2 Inland waterway transport (ADN)

UN No.: 2735

UN Proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (Alkyl-C12-C14-

dimethylamin)

Transport hazard class(es): 8 Hazard label(s): 8 Packing group: Ш Environmental hazards: yes Limited quantity: 1 L Excepted quantity: E2 Classification code: C7 2 Transport category: Hazard identification number (Kemler No.): 80

14.3 Sea transport (IMDG)

UN No.: 2735

UN Proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (Alkyl-C12-C14-

dimethylamin, C12-C16-Alkyldimethylamine, destilled),

MARINE POLLUTANT

Transport hazard class(es): Hazard label(s): 8 Packing group: Ш Environmental hazards: ves Limited quantity: 1 L Excepted quantity: E2 Special provisions: 274 Classification code: **C7** Transport category: Hazard identification number (Kemler No.): 80 F-A,S-B Marine pollutant: yes

14.4 Air transport (ICAO-TI / IATA-DGR)

UN No.: 273

UN Proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (Alkyl-C12-C14-

dimethylamin)

Transport hazard class(es): 8
Hazard label(s): 8



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

Packing group: Ш Environmental hazards: ves Limited quantity: 1 L Excepted quantity: E2 Special provisions: 274 **C7** Classification code: Transport category: 2 Hazard identification number (Kemler No.): 80

#### 14.5 Special precautions for user

Attention: strongly corrosive. Caution: corrosive substances

## 14.6 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

# SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

## Authorisations and/or restrictions on use

Restriction conditions: 3

### Other EU regulations

# Directive 2012/18/EU on the control of major accident hazards involving dangerous substances [Seveso III Directive]

E1 Hazardous to water

## **National regulations**

#### Notes on employment restrictions

Observe employment restrictions for young people (§ 22 JArbSchG). Observe employment restrictions for expectant and nursing mothers.

## 15.2 Chemical Safety Assessment

A chemical safety assessment has been carried out.

# SECTION 16: Other information

## 16.5 Text of the hazard statements and/or safety instructions referred to in sec.s 2 to 15

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### 16.7 Further information



according to Regulation (EC) No 1907/2006 (REACH)

Trade name VELOSIT IR 601 (B-Comp.)

Version 3 (EN)
Revision date 01.09.2020
Print date 13.10.2020

To the best of our knowledge, the information in this safety data sheet is correct at the time of printing. The information is intended to provide guidelines for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and disposal. The information is not transferable to other products. Insofar as the product is mixed, blended or processed with other materials, the information in this safety data sheet cannot be transferred to the new material manufactured in this way, unless expressly stated otherwise. The information is based on our current state of knowledge, but does not constitute a guarantee of product properties and does not establish a contractual legal relationship. Existing laws and regulations must be observed by the recipient of our products on his own responsibility.