

according to Regulation (EC) No 1907/2006

VELOSIT CA 112

Date: 22.09.2020 Revision date. Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VELOSIT CA 112

Further trade names / Item numbers

Y

UFI: 1VHD-YSKM-QFCX-F372

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Building material

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: VELOSIT GmbH & Co.KG

Street: Industriepark 7

Place: D-32805 Horn-Bad Meinberg

Telephone: ++49 5233/951-7302 Telefax:++49 5233/951-7301

e-mail: info@velosit.de
Internet: www.velosit.de
Responsible Department: Product safety

1.4. Emergency telephone ++49 5233/951-7300 (Mo.-Fr.: 8.00-16.00h)

number:

Further Information

Emergency telephone number.

Österreich (A): Vergiftungsinformationszentrale Wien: ++43 1 406 43 43

Belgien (B): Centre Antipoisons: ++32 70 245245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:
Causes skin irritation.
Causes serious eye damage.
May cause respiratory irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

portland cement

Signal word: Danger

Pictograms:







according to Regulation (EC) No 1907/2006

VELOSIT CA 112

Date: 22.09.2020 Revision date: Page 2 of 9

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

If the product is available for everybody, additionally: P102 Keep out of reach of children.

P501 Dispose of contents/container in accordance with official regulations...

2.3. Other hazards

The product develops an alkaline pH value with moisture and can cause irritation. Wear protective gloves.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Cement, sand, soda, flux agent, additives

Hazardous components

CAS No	Chemical name							
	EC No	Index No	REACH No					
	GHS Classification							
65997-15-1	portland cement							
	266-043-4							
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335							
497-19-8	Sodium carbonate							
	207-838-8		01-2119485498-19					
	Eye Irrit. 2; H319							

Full text of H and EUH statements: see section 16.

Further Information

Products containing cement, low in chromate, according to Directive 1907/2006/EG, Annex XVII (47) TRGS 613 (D): Due to chrome-VI content less than 2 ppm, declaration with H317 is not required.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Wash with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Do not rub eyes.



according to Regulation (EC) No 1907/2006

VELOSIT CA 112

Date: 22.09.2020 Revision date: Page 3 of 9

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Call a doctor if you feel unwell. If medical advice is needed, have product container or label at hand.

4.2. Most important symptoms and effects, both acute and delayed

May damage the eye-cornea. Irritation to respiratory tract, skin, mucosa. May cause dermatitis

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder, Carbon dioxide (CO₂), Foam, Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Avoid dust formation. Provide adequate ventilation. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.



according to Regulation (EC) No 1907/2006

VELOSIT CA 112

Date: 22.09.2020 Revision date: Page 4 of 9

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Storage temperature: 5-25°C

7.3. Specific end use(s)

Cement

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
65997-15-1	Portland cement, inhalable dust	-	10		TWA (8 h)	WEL
65997-15-1	Portland cement, respirable dust	-	4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
497-19-8	Sodium carbonate							
Worker DNEL	, long-term	inhalation	local	10 mg/m³				
Consumer DN	EL, long-term	inhalation	local	10 mg/m³				
Consumer DN	EL, acute	inhalation	local	10 mg/m ³				

Additional advice on limit values

TWA: time-weighted-average

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Provide adequate ventilation. Do not breathe dust.

Eye/face protection

Tightly sealed safety glasses according to EN166

Hand protection

Tested protective gloves according to EN 374, Material: alkali-resistant abrasion resistant, waterproof

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particle filter device (DIN EN 143) recommended



according to Regulation (EC) No 1907/2006

VELOSIT CA 112

Date: 22.09.2020 Revision date: Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid, powder

Colour: grey
Odour: odourless

Test method

pH-Value (at 20 °C): 11.5-13.5 10% in water

Changes in the physical state

Melting point: > 1000 °C Initial boiling point and boiling range: not determined Flash point: not applicable

Flammability

Solid: not determined
Gas: not applicable

Explosive properties

The product is not explosive.

Lower explosion limits:

Upper explosion limits:

not determined

not determined

Auto-ignition temperature

Solid: not determined Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure:

Density (at 20 °C):

Bulk density (at 20 °C):

Water solubility:

(at 20 °C)

not determined

2.75-3.5 g/cm³

0.9-1.5 kg/m³

reacts with water

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: 100%

SECTION 10: Stability and reactivity

10.1. Reactivity

Product reacts with water and hardens.

After curing no reactivity

10.2. Chemical stability

The product is stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions



according to Regulation (EC) No 1907/2006

VELOSIT CA 112

Revision date: 22.09.2020 Product code: 150 Page 6 of 9

No known hazardous reactions.

10.4. Conditions to avoid

Humidity

10.5. Incompatible materials

strong acids, strong alkalis, base metals

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
65997-15-1	portland cement							
	dermal	LD50 mg/kg	> 2000	Rabbit	Manufacturer	limit test		
497-19-8	Sodium carbonate							
	oral	LD50 mg/kg	2800	Rat	IUCLID			
	dermal	LD50 mg/kg	> 2000	Rabbit	IUCLID	EPA 16 CFR 1500.40		
	inhalation (1 h) aerosol	LC50	2,3 mg/l	Rat	IUCLID 2h			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Portlandzement)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



Page 7 of 9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VELOSIT CA 112 Product code: 150

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method			
497-19-8	Sodium carbonate									
	Acute fish toxicity	LC50	300 mg/l	96 h	freshwater fish	IUCLID				
	Acute crustacea toxicity	EC50	200 mg/l	48 h	freshwater invertebrates	IUCLID				

12.2. Persistence and degradability

Product/Substance is inorganic. The methods for determining the biological degradability are not applicable to inorganic substances. Nach dem Aushärten weist der Zement keine Toxizitätsrisiken auf.

12.3. Bioaccumulative potential

Revision date: 22.09.2020

not applicable. Product/Substance is inorganic.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Produkt aushärten lassen und als Baustellenbfall entsorgen.

List of Wastes Code - residues/unused products

101311 WASTES FROM THERMAL PROCESSES; wastes from manufacture of cement, lime and plaster and articles and products made from them; wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10

List of Wastes Code - contaminated packaging

150101 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); paper and cardboard packaging

Contaminated packaging

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

VELOSIT CA 112

Revision date: 22.09.2020 Product code: 150 Page 8 of 9

14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 47: Portlandzement

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

No restriction according to REACH, no substances from the SVHC list included.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work

protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

TRGS 613 (D)

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances



according to Regulation (EC) No 1907/2006

VELOSIT CA 112

Product code: 150 Revision date: 22.09.2020 Page 9 of 9

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50% PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method

Relevant H and EUH statements (number and full text)

Causes skin irritation. H315 H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge, it does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Products containing cement, low in chromate	PW, C	-	9b	19	-	1	-	Cement

LCS: Life cycle stages SU: Sectors of use PC: Product categories PROC: Process categories ERC: Environmental release categories AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)